


Furniture Fittings and Applications

Plan. Realise. Fascinate.

Hettich Stock Items



BjärnumAB
BJÄRNUMS INDUSTRISERVICE AB

Technik für Möbel

Hettich

| | |
|----------------------------------|---------|
| Hinges | 24 – 29 |
| Drawer systems | 30 – 44 |
| Runner systems | 45 – 48 |
| Sliding and folding door systems | 49 – 51 |
| Connecting technology | 52 – 55 |
| Cabinet interiors | 56 – 61 |
| Index | 62 – 63 |

Your contact:

Hettich Marketing- und Vertriebs GmbH & Co. KG

Gerhard-Lüking-Str. 10
32602 Vlotho
Germany

P.O. Box 1743
32591 Vlotho
Germany

Phone: +49 5733 798 0

E-Mail: info@hettich.com

Internet: www.hettich.com

Easier. More efficient. More successful.


Catalogue and website – doubly unbeatable!

Hettich makes you more successful – and does so all very easily. We share our ideas with you and can offer you our products and services exactly where you need them – needless to say, on a mobile device too. This is why we have linked the new Furniture Fittings and Applications catalogue with our new eServices.

This will give you optimum support at all times – whether in advising customers and finding ideas, in planning and procuring materials or in realising furniture and marketing. You will quickly recognise the advantages and benefit from our unbeatable duo.



Hettich eShop



Hettich Web



Hettich Technical Assistant



Hettich DesignGallery



Hettich CAD

Getting there the fast way – with our eServices!



shop.hettich.com



Straight to the product in the
Hettich eShop



web.hettich.com



Find more information on the
Hettich Web



hta.hettich.com



To use it, go to the Hettich
Technical Assistant

Simply scan the QR code with your smartphone or tablet. If you don't yet have a QR code scanner, you can download one free of charge from the Google Play Store or Apple App Store.

If you wish to use the catalogue at your desk, you can also enter the shortened Internet address directly into the browser window on the computer.

Ordering information:

| Order no. | PU |
|-----------|----------|
| 1 234 567 | 100 ea. |
| 7 654 321 | 1/50 ea. |
| 0 012 345 | 1/5 pair |
| 0 054 321 | 1/5 sets |

- PU Packaging unit
ea. each, fractions of this quantity cannot be ordered
1/50 Packaging unit stocked contains 50 each.
Part pack quantities from 1 – 49 can be ordered for an additional charge
Pair Article consists of a right-hand part and a left-hand part
Set Collection of various components to make ordering easier



Together, we fascinate and make people excited.

With furniture and fittings that give your customers exactly what they want: creative individuality, stylish design, a high level of user convenience and more quality of life. We call this Fascin[action]: feel style, enjoy comfort, win storage. At the same time, we want to make you excited about the work we do together. That's why we have included your wishes, ideas and suggestions and turned them into reality.

In compact and clearly structured form, this streamlined catalogue provides you with everything you need to place your order. Our significantly extended range of online services also gives you everything you need to be even more successful with our products in making and selling furniture – in-depth information, inspiration for new design to entire furniture concepts. We can give you comprehensive support with state-of-the-art tools, such as our all new Hettich eShop, the Hettich Technical Assistant, CAD data and much more besides. Try it out. You will be amazed.

A handwritten signature in blue ink that reads "A. Hettich".

Yours faithfully, Dr. Andreas Hettich



How will we
be living in
the future?

MEGATRENDS

An interesting question which we at Hettich are focusing close attention on to develop far-sighted solutions that are always ahead of their time. Megatrends are changing the world and influencing us in all walks of life. They are set to have a lasting effect on the way we live, on how we do things and on the way we furnish our homes. Four of them are of particular significance to the transformation set to take place in lifestyle and home living concepts: urbanisation, customisation, silver society and work evolution. They will have far reaching impacts on future demands on the design, practical convenience and space economics of furniture.

**Fascinated by solutions.
We call it**

Fascin[action]

Feel style



Individuality will replace uniformity. A new buyer individual will look specifically for furniture that can be designed in form and outfit to suit personal needs.

hettich.com/short/574275



TRENDS

Enjoy comfort



Win storage



The demands and expectations on user friendly functions that help us to cope with everyday routine will become increasingly significant.

hettich.com/short/4d3937



Increasingly smaller living spaces in the urban environment are placing high demands on space economics and, as a result, on the use of storage space.


hettich.com/short/d97fa8

Feel style

**AvanTech YOU
drawer system
As individual as you.**

Enjoy comfort

**Actro 5D drawer runner
Moving precision.**



gettich.com/short/be51de




Sensys hinge system
Beautiful. And
beautifully quiet.



Enjoy comfort

TopLine XL sliding door system
The last word in sliding perfection.



gettich.com/short/9c1a32

Enjoy comfort




New principle for tidy organisation while cooking!
This is where the ideas are bubbling over



Instant transformation

Anyone with no inclination to clear away the aftermath in the kitchen simply lets the work zone vanish behind the large pocket door. Everything neat and tidy in seconds flat.



gettich.com/short/d31590



Sliding vertically! Kitchen furniture in a new dimension


Homes without boundaries

This room divider provides a connecting openness and versatile look. The vertical sliding door hides contents from view or reveals them – in whichever chosen way.

Little space – complete outfit

Small and compact, yet big on space. Cleverly designed, the compact kitchen furniture cleverly uses every inch of space. It provides a place for everything that's needed for cooking, dining and storing food.

Win storage



hettich.com/short/0c78d5



Reflecting good ideas! Creating exclusive bathroom furniture

Mirror with extras

Here comes practical movement at eye level. Storage space smoothly glides forwards, leaving it in front of the fixed-position mirror. Stylish and practical.




Enjoy comfort



Hide and seek

The extra pull-out compartment in the bathroom cabinet is the perfect place for hiding those little beauty secrets. A folding sliding door takes care of elegantly concealing large household appliances, such as tumble dryer and washing machine.



gettich.com/short/09e6f5




Room to dream! Convenience drive in the bedroom



Panorama effect

The WingLine folding sliding door solution opens up new perspectives for wardrobes. On both sides, flush-fitted doors glide from the centre to the left and right as if they were floating on air. Wow!

XL wardrobe, XXL convenience
New level of practical convenience from floor to ceiling. The unique TopLine XL sliding door fitting moves floor to ceiling and heavy wardrobe doors with effortless ease.



hettich.com/short/5606ba




Sculptural home aesthetics! Solutions for trendsetters



Geometric shapes in a combination of materials

Concealed and minimalist furniture fittings provide the key to exceptional design while combining a wide range of materials to create a perfect symbiosis.



hettich.com/short/b7c3e1



Work-life balance! Invisible home office

Living and working with one piece of furniture


A stylish display unit one minute, a practical home office the next. This piece of multifunctional furniture is ideal for small rooms and for anyone wanting to stay flexible.



Interesting slant! Sloping space, the storage wizard



Getting more space
Big Org@Tower Wood is the ideal solution for turning unused spaces under sloping ceilings and stairs into well organised and convenient storage solutions.



hettich.com/short/438075


Enjoy comfort



Working bliss! Lounger in the team office



Working in the third dimension
Team work - the innovative bench workstation can be adjusted in height, making an ergonomic work posture something that can also be taken for granted while sitting or standing. The office recliner extends an invitation to take a power nap.



hettich.com/short/24c93a



Easy going! Multifunctional office

Multitalents in demand!


Convertible office furniture

Routine, no way! The work environment is calling for more and more flexibility. Changing between work concentration and communication, teamwork and meeting, dialogue and retreat demands office furniture that provides the key to efficiency and well-being.



Central unit

A central locker unit combining a homely ambience with space for personal belongings is guaranteed to help create a feeling at ease in the workplace.



hettich.com/short/3400c2

What's done quickly and easily saves no end of time. So, benefit from our intelligent online tools: product catalogues with CAD data in 2D and 3D, quickly downloaded drawings, instructions and certificates, planning aids and much more besides. Always up to date and available to you 24/7 at hettich.com.



Inspiration

Planning

Products selection

Website

Trend report

Design Gallery



YouTube
Instagram
Facebook

Hettich CAD

Hettich Plan

Hettich APP



Data for external
CAD-systems

Hettich eShop

Flip page catalogue

Configurators

Websites



eCommerce
Interfaces

eSIEVER

More efficient.
More successful.

Realisation & Installation

- Hettich Technical Assistant
- YouTube
- Hettich APP



Marketing

- Media centre
- Tendering texts
- Data service



- Retailer portal
- YouTube
Instagram
Facebook

Your
Hettich
eService –
**at your fingertips
from start to
finish!**



gettich.com/short/99d8ac



Hettich eShop

Quickly find information and order straight away! In the Hettich eShop you will find comprehensive, technical information on all products. Use the search filters to find the right product even more quickly. It also provides you with assembly and installation instructions, videos and CAD drawings.

Hettich Website

Clearly structured and intuitive to use! You will find all important information and Hettich's electronic services in compact form at hettich.com. Whether you initially want inspiration or are planning a specific customer project – you will quickly get to your goal and even further.



shop.hettich.com



web.hettich.com



Hettich Technical Assistant


Your personal technical assistant!

The Hettich Technical Assistant helps you in assembling and adjusting our products and includes further practical installation tools. You can easily edit contents too by using a smartphone or tablet. This means you can answer questions and resolve problems directly on site.


Hettich Design Gallery

Trends and ideas for new furniture!

The Hettich Design Gallery presents our latest ideas and gives you inspiration. We show you how to use our fitting technology to create your own furniture ranges for different price segments. To do this, simply use our ready made lists of timbers and fittings as well as the detailed drawings and associated picture material.



hta.hettich.com



hettich.com/short/5e3836



Hettich CAD

Planning efficiency and certainty!



Most of our products are available in digital form as 2D and 3D drawings. You will also find cross sectional drawings in CAD and PDF format with important design details. All information is available from the Hettich eShop and the website.

Hettich Plan

Simplified work preparation and requirements planning! The Hettich Plan cabinet body configurator gives you an overview of the various basic cabinet body designs with layout options to suit specific needs. In keeping with the configuration you select, it identifies the optimum choice of fittings and delivers all important construction information.



hettich.com/short/21c785




hettich.com/short/39c234



Hettich App

Use eServices on a mobile device.

Whether the latest catalogues, magazines, instructions, installation assistants or videos – by app, you can access our digital services from wherever you are. The Hettich app can be downloaded free of charge from the Google Play Store or Apple App Store.




Data & Web Services

Sales boosting support!

We can provide you with all sorts of different data for your marketing and projects. Take a look around our media library. You are welcome to use image data for customer presentations or your own website. As a retailer or partner, you can even get entire data sets for creating your own web shop.

On top of all this, we can also provide you with various tools for handling orders electronically. Please don't hesitate to contact us.



hettich.com/short/214fc8



YouTube



Hinges

► Summary of ranges

Concealed hinges

25 – 28



Opening system for handleless furniture fronts

Push to open for hinges

28



Special hinges





Summary

29



Fast assembly concealed hinge

► Intermat hinges

| | Order no. | Description | UOM | PU |
|---|-------------------|---|-----|-----|
| Intermat 9943, Opening angle 110° | | | | |
|  | full overlay | 9 043 643 Intermat 9943, Base 12.5, full overlay, TB 48, ø 8 x 11, expanding dowls | Pce | 200 |
|  | Base B 12.5 mm | 9 072 555 Intermat 9943, Base 12.5, full overlay, TB 42, for screwing on | Pce | 50 |
| Intermat 9943, Opening angle 95° | | | | |
|  | full overlay | 9 043 679 Intermat 9936 W45, Base 6, full overlay, TB 48, ø 8 x 11, expanding dowls | Pce | 50 |
|  | Base B 6 mm | | | |
|  | inset | 9 043 682 Intermat 9936 W90, Base 5, inlay, TB 48, ø 8 x 11, expanding dowls | Pce | 50 |
|  | Base B 5 mm | | | |
| Intermat 9930, Opening angle 50° / 65° | | | | |
|  | full overlay | 9 044 825 Intermat 9930 with cup in Sensys design for corner cabinet folding doors, Base 24, full overlay, TB 55, ø 8 x 11, expanding dowls | Pce | 50 |
|  | Base B 24 mm | | | |

Fast assembly concealed hinge

► Sensys with integrated Silent System



Beautiful. And beautifully quiet

Sensys hinges from Hettich are the heart of good doors. They provide unbeatable solutions for any range of furniture. Reliable performance, long life, noticeable high quality. With clever mounting and adjustment options.

Sensys, the hinge technology with integrated soft closing function for even greater convenience closing hinged doors. With its uniquely wide automatic closing angle of 35°, Sensys closes the door almost on its own. Innovative, gentle, quiet.



Experience perfectly designed furniture:
Sensys in obsidian black perfects the design of dark furniture.



Feature Silent System excellence and efficiency:
Performs better than any of the others – saving a hinge in many cases!



Benefit from thermal stability:
Whether in cool rooms or at high ambient temperature – the integrated Silent System never fails.






hettich.com/short/4d1ca4



Find out more:
You can get inspiration and further product details on our website.







Fast assembly concealed hinge

► Sensys hinges

| | Order no. | Description | UOM | PU |
|---|--------------|---|-----|-----|
| Sensys 8645i / 8675 / 8646i, Opening angle 110° | | | | |
|  | full overlay | <p>9 071 223 Hinge Sensys 8645i, Base 12.5, full overlay, TB 52, for screwing on</p> <p>9 073 570 Hinge Sensys 8645i, Base 12.5, full overlay, TB 58, ø 8 x 11, expanding dowls</p> <p>9 073 626 Hinge Sensys 8645i, Base 12.5, full overlay, TB 55, ø 8 x 6, Fix fast assembly</p> <p>9 073 605 Hinge Sensys 8645i, Base 12.5, full overlay, TH 52, for screwing on</p> <p>9 073 671 Hinge Sensys 8675, Base 12.5, full overlay, TB 52, without self closing feature</p> <p>9 073 677 Hinge Sensys 8675, Base 12.5, full overlay, TB 55, ø 8 x 6, Fix fast assembly without self closing feature</p> | Pce | 200 |
|  | half overlay | <p>9 073 690 Hinge Sensys 8645i, Base 3, half overlay, TB 52, for screwing on</p> <p>9 073 571 Hinge Sensys 8645i, Base 3, half overlay, TB 58, ø 8 x 11, expanding dowls</p> <p>9 073 627 Hinge Sensys 8645i, Base 3, half overlay, TB 55, ø 8 x 6, Fix fast assembly</p> | Pce | 50 |
|  | inset | <p>9 073 691 Hinge Sensys 8645i, Base -4, inlay, TB 52, for screwing on</p> <p>9 073 572 Hinge Sensys 8645i, Base -4, inlay, TB 58, ø 8 x 11, expanding dowls</p> <p>9 073 628 Hinge Sensys 8645i, Base -4, inlay, TB 55, ø 8 x 6, Fix fast assembly</p> | Pce | 50 |
|  | full overlay | 9 094 300 Hinge Sensys 8646i for thin doors, Base 12.5, full overlay, TB 52, for screwing on | Pce | 50 |
| Sensys 8639i, Opening angle 95° | | | | |
|  | full overlay | <p>9 088 078 Hinge Sensys 8639i W45, Base 9, full overlay, TB 55, ø 8 x 6, Fix fast assembly</p> <p>9 088 090 Hinge Sensys 8639i W45, Base 9, full overlay, TB 58, ø 8 x 11, expanding dowls</p> | Pce | 50 |
|  | inset | <p>9 088 081 Hinge Sensys 8639i W90, Base 4, inlay, TB 55, ø 8 x 6, Fix fast assembly</p> <p>9 088 093 Hinge Sensys 8639i W90, Base 4, inlay, TB 58, ø 8 x 11, expanding dowls</p> | Pce | 50 |

Fast assembly concealed hinge

- Sensys hinges
- Push to open Magnet / Mounting plates

| Order no. | Description | UOM | PU |
|---|---|--|--------|
| Sensys 8657 / 8657i, Opening angle 165° | | | |
|  | full overlay | 9 099 776 Hinge Sensys 8657, zero protrusion hinge, Base 12.5, full overlay, TB 48, ø 8 x 11, expanding dowls | Pce 50 |
|  | | 9 099 560 Hinge Sensys 8657i zero protrusion hinge, Base 12.5, full overlay, TB52 | Pce 50 |
| | | 9 099 566 Hinge Sensys 8657i zero protrusion hinge, Base 12.5, full overlay, TB 58, ø 8 x 11, expanding dowls | Pce 50 |
|  | Base B 12.5 mm | | |
| Push to open Magnet | | | |
|  | 9 089 605 Push to open Magnet, for screwing on, Long travel, light grey | Pce | 25 |
| | 9 089 607 Push to open Magnet, for drilling in, Long travel, light grey | Pce | 25 |
| Cross mounting plates | | | |
|  |  9 071 577 Cross mounting plate for screwing on, D = 3.0 mm, Hole line distance LR: 37, Height adjustment: Height adjustment via oblong hole | Pce | 200 |
|  |  9 071 625 Cross mounting plate with premounted Euro screws, D = 0.0 mm, ø 5 x 12, Hole line distance LR: 37, Height adjustment: Height adjustment via oblong hole | Pce | 200 |
| | 9 071 627 Cross mounting plate with premounted Euro screws, D = 3.0 mm, ø 5 x 12, Hole line distance LR: 37, Height adjustment: Height adjustment via oblong hole | Pce | 200 |
|  |  9 075 080 Cross mounting plate with premounted Euro screws, D = 0.0 mm, ø 5 x 12, Hole line distance LR: 37, Height adjustment: Height adjustment via oblong hole | Pce | 50 |
| | 9 075 082 Cross mounting plate with premounted Euro screws, D = 3.0 mm, ø 5 x 12, Hole line distance LR: 37, Height adjustment: Height adjustment via eccentric cam | Pce | 50 |
|  |  9 088 244 Linear mounting plate for screwing on, D = 0.5 mm, Hole line distance LR: 20, Height adjustment: Height adjustment via oblong hole | Pce | 50 |
| | 9 088 245 Linear mounting plate for screwing on, D = 3.0 mm, Hole line distance LR: 20, Height adjustment: Height adjustment via oblong hole | Pce | 50 |
|  |  9 088 246 System 8000 face frame mounting plate for screwing on, D = 0.0 mm | Pce | 50 |
| | 9 088 248 System 8000 face frame mounting plate for screwing on, D = 4.5 mm | Pce | 50 |

Special hinges / Flap fittings



Special hinges

| Order no. | Description | UOM | PU |
|-----------|-------------|-----|----|
|-----------|-------------|-----|----|

Flap hinge Markant 11



0 040 242 Markant 11 flap hinge nickel plated

Pce 20

Glass door hinge ET 5160



0 030 866 Glass-door hinge ET 5160

Pce 20

Selektra Pro 2000



0 045 044 Selektra Hinge Base hinge, whit holder

Pce 50

0 077 736 Cup hinge for selektra , screw on version

Pce 50



Flap fittings

| Order no. | Description | UOM | PU |
|-----------|-------------|-----|----|
|-----------|-------------|-----|----|

Lift



0 079 389 Lift Junior, 90 NN, 3.3 kg

Pce 1

KH



0 013 233 Flap stay KH / 200

Pce 1

0 013 235 Flap stay KH / 250

Pce 1

Drawer systems

31

InnoTech Atira double walled
drawer system
Interior organisation

31 – 32
33 – 35



AvanTech YOU double walled
drawer system

36 – 44







Assembly aids
Summary

59




InnoTech Atira double walled drawer system

- Drawer height 70 mm
- Rear panel

| Order no. | Description | UOM | PU |
|---|---|-----|----|
| Drawer side profile, height 70 mm | | | |
|  | 9 194 404 Drawer side profile InnoTech Atira, NL 260 mm / 70 mm, left, white | Pce | 18 |
| | 9 194 405 Drawer side profile InnoTech Atira, NL 260 mm / 70 mm, right, white | Pce | 18 |
| | 9 194 406 Drawer side profile InnoTech Atira, NL 300 mm / 70 mm, left, white | Pce | 18 |
| | 9 194 407 Drawer side profile InnoTech Atira, NL 300 mm / 70 mm, right, white | Pce | 18 |
| | 9 194 408 Drawer side profile InnoTech Atira, NL 350 mm / 70 mm, left, white | Pce | 18 |
| | 9 194 409 Drawer side profile InnoTech Atira, NL 350 mm / 70 mm, right, white | Pce | 18 |
| | 9 194 410 Drawer side profile InnoTech Atira, NL 420 mm / 70 mm, left, white | Pce | 18 |
| | 9 194 411 Drawer side profile InnoTech Atira, NL 420 mm / 70 mm, right, white | Pce | 18 |
| | 9 194 412 Drawer side profile InnoTech Atira, NL 470 mm / 70 mm, left, white | Pce | 18 |
| | 9 194 413 Drawer side profile InnoTech Atira, NL 470 mm / 70 mm, right, white | Pce | 18 |
| | 9 194 414 Drawer side profile InnoTech Atira, NL 520 mm / 70 mm, left, white | Pce | 18 |
| | 9 194 415 Drawer side profile InnoTech Atira, NL 520 mm / 70 mm, right, white | Pce | 18 |
| | 9 194 390 Drawer side profile InnoTech Atira, NL 260 mm / 70 mm, left, silver | Pce | 18 |
| | 9 194 391 Drawer side profile InnoTech Atira, NL 260 mm / 70 mm, right, silver | Pce | 18 |
| | 9 194 392 Drawer side profile InnoTech Atira, NL 300 mm / 70 mm, left, silver | Pce | 18 |
| | 9 194 393 Drawer side profile InnoTech Atira, NL 300 mm / 70 mm, right, silver | Pce | 18 |
| | 9 194 394 Drawer side profile InnoTech Atira, NL 350 mm / 70 mm, left, silver | Pce | 18 |
| | 9 194 395 Drawer side profile InnoTech Atira, NL 350 mm / 70 mm, right, silver | Pce | 18 |
| | 9 194 396 Drawer side profile InnoTech Atira, NL 420 mm / 70 mm, left, silver | Pce | 18 |
| | 9 194 397 Drawer side profile InnoTech Atira, NL 420 mm / 70 mm, right, silver | Pce | 18 |
| | 9 194 398 Drawer side profile InnoTech Atira, NL 470 mm / 70 mm, left, silver | Pce | 18 |
| | 9 194 399 Drawer side profile InnoTech Atira, NL 470 mm / 70 mm, right, silver | Pce | 18 |
| | 9 194 400 Drawer side profile InnoTech Atira, NL 520 mm / 70 mm, left, silver | Pce | 18 |
| | 9 194 401 Drawer side profile InnoTech Atira, NL 520 mm / 70 mm, right, silver | Pce | 18 |
| Rear panel connector, 70 mm | | | |
|  | 9 194 627 Rear panel connector InnoTech Atira, 70 mm, white, left | Pce | 40 |
|  | 9 194 628 Rear panel connector InnoTech Atira, 70 mm, white, right | Pce | 40 |
|  | 1 062 501 Rear panel connector InnoTech Atira, 70 mm, silver, left | Pce | 40 |
|  | 1 062 502 Rear panel connector InnoTech Atira, 70 mm, silver, right | Pce | 40 |
| Steel rear panel, 70 mm | | | |
|  | 9 194 441 Steel rear panel InnoTech Atira, 400 mm / 70 mm, white | Pce | 40 |
|  | 9 194 443 Steel rear panel InnoTech Atira, 500 mm / 70 mm, white | Pce | 40 |
|  | 9 194 445 Steel rear panel InnoTech Atira, 600 mm / 70 mm, white | Pce | 40 |
|  | 9 194 447 Steel rear panel InnoTech Atira, 800 mm / 70 mm, white | Pce | 20 |
|  | 1 062 903 Steel rear panel InnoTech Atira, 400 mm / 70 mm, silver | Pce | 40 |
|  | 1 062 905 Steel rear panel InnoTech Atira, 500 mm / 70 mm, silver | Pce | 40 |
|  | 1 062 907 Steel rear panel InnoTech Atira, 600 mm / 70 mm, silver | Pce | 40 |
|  | 1 062 960 Steel rear panel InnoTech Atira, 800 mm / 70 mm, silver | Pce | 20 |




InnoTech Atira double walled drawer system

- ▶ Rear panel
- ▶ Cover cap / Lengthwise railing

| Order no. | Description | UOM | PU |
|---|---|-----|-----|
| Aluminium rear panel, 70 mm | | | |
|  | 9 194 518 Aluminium rear panel InnoTech Atira / 200 mm / 70 mm, white | Pce | 1 |
| | 0 077 913 Aluminium rear panel InnoTech Atira, L 2000 mm / 70 mm, silver | Pce | 1 |
| Rear panel connector, 144 mm | | | |
|  | 9 194 635 Rear panel connector InnoTech Atira, 144 mm, white, left | Pce | 40 |
| | 9 194 636 Rear panel connector InnoTech Atira, 144 mm, white, right | Pce | 40 |
| | 9 007 355 Rear panel connector InnoTech Atira, 144 mm, silver, left | Pce | 40 |
| | 9 007 356 Rear panel connector InnoTech Atira, 144 mm, silver, right | Pce | 40 |
| Steel rear panel, 144 mm | | | |
|  | 9 194 467 Steel rear panel InnoTech Atira, 400 mm / 144 mm, white | Pce | 20 |
| | 9 194 469 Steel rear panel InnoTech Atira, 500 mm / 144 mm, white | Pce | 20 |
| | 9 194 471 Steel rear panel InnoTech Atira, 600 mm / 144 mm, white | Pce | 20 |
| | 9 194 474 Steel rear panel InnoTech Atira, 800 mm / 144 mm, white | Pce | 10 |
| | 9 004 068 Steel rear panel InnoTech Atira, 400 mm / 144 mm, silver | Pce | 20 |
| | 9 004 070 Steel rear panel InnoTech Atira, 500 mm / 144 mm, silver | Pce | 20 |
| | 9 004 072 Steel rear panel InnoTech Atira, 600 mm / 144 mm, silver | Pce | 20 |
| | 9 004 074 Steel rear panel InnoTech Atira, 800 mm / 144 mm, silver | Pce | 10 |
| Aluminium rear panel, 144 mm | | | |
|  | 9 194 520 Aluminium rear panel InnoTech Atira / 200 mm / 144 mm, white | Pce | 1 |
| | 0 013 225 Aluminium rear panel InnoTech Atira / 200 / 144 mm, silver | Pce | 1 |
| Rear panel connector, 176 mm | | | |
|  | 9 194 639 Rear panel connector InnoTech Atira, 176 mm, white, left | Pce | 40 |
| | 9 194 640 Rear panel connector InnoTech Atira, 176 mm, white, right | Pce | 40 |
| | 9 027 831 Rear panel connector InnoTech Atira, 176 mm, silver, left | Pce | 40 |
| | 9 027 832 Rear panel connector InnoTech Atira, 176 mm, silver, right | Pce | 40 |
| Cover cap | | | |
|  | 9 194 647 InnoTech Atira Cover cap, white with Hettich logo | Pce | 300 |
| | 9 194 646 InnoTech Atira Cover cap, grey with Hettich logo | Pce | 300 |

Interior organisation system for drawers and internal drawers

- OrgaTray 440
- Drawer

| | Order no. | Description | UOM | PU |
|---|------------------|---|-----|-----|
| Lengthwise railing | | | | |
|  | 9 194 537 | Lengthwise railing InnoTech Atira, 260 mm, right, white | Pce | 80 |
| | 9 194 536 | Lengthwise railing InnoTech Atira, 260 mm, left, white | Pce | 80 |
| | 9 194 539 | Lengthwise railing InnoTech Atira, 300 mm, right, white | Pce | 80 |
| | 9 194 538 | Lengthwise railing InnoTech Atira, 300 mm, left, white | Pce | 80 |
| | 9 194 541 | Lengthwise railing InnoTech Atira, 350 mm, right, white | Pce | 80 |
| | 9 194 540 | Lengthwise railing InnoTech Atira, 350 mm, left, white | Pce | 80 |
| | 9 194 543 | Lengthwise railing InnoTech Atira, 420 mm, right, white | Pce | 80 |
| | 9 194 542 | Lengthwise railing InnoTech Atira, 420 mm, left, white | Pce | 80 |
| | 9 194 545 | Lengthwise railing InnoTech Atira, 470 mm, right, white | Pce | 80 |
| | 9 194 544 | Lengthwise railing InnoTech Atira, 470 mm, left, white | Pce | 80 |
| | 9 194 547 | Lengthwise railing InnoTech Atira, 520 mm, right, white | Pce | 80 |
| | 9 194 546 | Lengthwise railing InnoTech Atira, 520 mm, left, white | Pce | 80 |
| | 9 194 522 | Lengthwise railing InnoTech Atira, 260 mm, left, silver | Pce | 80 |
| | 9 194 523 | Lengthwise railing InnoTech Atira, 260 mm, right, silver | Pce | 80 |
| | 9 194 524 | Lengthwise railing InnoTech Atira, 300 mm, left, silver | Pce | 80 |
| | 9 194 525 | Lengthwise railing InnoTech Atira, 300 mm, right, silver | Pce | 80 |
| | 9 194 526 | Lengthwise railing InnoTech Atira, 350 mm, left, silver | Pce | 80 |
| | 9 194 527 | Lengthwise railing InnoTech Atira, 350 mm, right, silver | Pce | 80 |
| | 9 194 528 | Lengthwise railing InnoTech Atira, 420 mm, left, silver | Pce | 80 |
| | 9 194 529 | Lengthwise railing InnoTech Atira, 420 mm, right, silver | Pce | 80 |
| | 9 194 530 | Lengthwise railing InnoTech Atira, 470 mm, left, silver | Pce | 80 |
| | 9 194 531 | Lengthwise railing InnoTech Atira, 470 mm, right, silver | Pce | 80 |
| | 9 194 532 | Lengthwise railing InnoTech Atira, 520 mm, left, silver | Pce | 80 |
| | 9 194 533 | Lengthwise railing InnoTech Atira, 520 mm, right, silver | Pce | 80 |
| Connector for front panel | | | | |
|  | 9 196 348 | Connector for aluminium front panel InnoTech Atira, 70, left and right, white | Pce | 1 |
| | 9 104 107 | IA ID 100 H70 CONNECTOR SET SI SE20980 | Pce | 1 |
| Aluminium front panel | | | | |
|  | 9 194 765 | Aluminium front panel InnoTech Atira, 2000 mm / 70 mm, white | Pce | 1 |
| | 9 194 764 | Aluminium front panel InnoTech Atira, 2000 mm / 70 mm, silver | Pce | 1 |
| Front stabiliser | | | | |
|  | 9 117 782 | InnoTech Atira / InnoTech Front stabiliser | Pce | 100 |

Interior organisation system for drawers and internal drawers

► Drawer

| Order no. | Description | UOM | PU |
|---|---|-----|----|
| OrgaTray 440 | | | |
|  | 9 194 965 OrgaTray 440, 441 - 520 / 351 - 400, white, drawer organisation | Pce | 1 |
| | 9 194 967 OrgaTray 440, 441 - 520 / 451 - 500, white, drawer organisation | Pce | 1 |
| | 9 194 968 OrgaTray 440, 441 - 520 / 501 - 600, white, drawer organisation | Pce | 1 |
| | 9 194 971 OrgaTray 440, 441 - 520 / 701 - 800, white, drawer organisation | Pce | 1 |
| | 9 194 934 OrgaTray 440, 441 - 520 / 351 - 400, silver, drawer organisation | Pce | 1 |
| | 9 194 936 OrgaTray 440, 441 - 520 / 451 - 500, silver, drawer organisation | Pce | 1 |
| | 9 194 937 OrgaTray 440, 441 - 520 / 501 - 600, silver, drawer organisation | Pce | 1 |
| | 9 194 939 OrgaTray 440, 441 - 520 / 701 - 800, silver, drawer organisation | Pce | 1 |

Drawer front connector for drawer side profile



| | | | |
|------------------|---|-----|-----|
| 1 061 450 | InnoTech Atira / InnoTech Drawer front connector for drawer side profile, with expanding socket | Pce | 400 |
| 1 065 191 | InnoTech Atira / InnoTech Drawer front connector for drawer side profile, for screwing on | Pce | 400 |

Drawer front connector for lengthwise railing



| | | | |
|------------------|--|-----|-----|
| 1 061 965 | InnoTech Atira / InnoTech Drawer front connector for lengthwise railing, with expanding socket | Pce | 400 |
| 9 002 503 | InnoTech Atira / InnoTech Drawer front connector for lengthwise railing, for screwing on | Pce | 400 |

Interior organisation system for drawers and internal drawers

► Drawer

| Order no. | Description | UOM | PU |
|---|--|-----|----|
| Quadro V6 / V6+ Silent System | | | |
|  | 9 047 180 Quadro V6 Silent System, 260, EB 12.5, left | Pce | 20 |
| | 9 047 181 Quadro V6 Silent System, 260, EB 12.5, right | Pce | 20 |
| | 9 039 093 Quadro V6 Silent System, 300, EB 12.5, left | Pce | 20 |
| | 9 039 095 Quadro V6 Silent System, 300, EB 12.5, right | Pce | 20 |
| | 9 046 304 Quadro V6 Silent System, 350, EB 12.5, left | Pce | 20 |
| | 9 046 305 Quadro V6 Silent System, 350, EB 12.5, right | Pce | 20 |
| | 9 046 294 Quadro V6 Silent System, 420, EB 12.5, left | Pce | 20 |
| | 9 046 295 Quadro V6 Silent System, 420, EB 12.5, right | Pce | 20 |
| | 9 046 288 Quadro V6 Silent System, 470, EB 12.5, left | Pce | 20 |
| | 9 046 289 Quadro V6 Silent System, 470, EB 12.5, right | Pce | 20 |
| | 9 047 171 Quadro V6 Silent System, 520, EB 12.5, left | Pce | 20 |
| | 9 047 172 Quadro V6 Silent System, 520, EB 12.5, right | Pce | 20 |
| | 9 102 854 Quadro V6+ Silent System, 520, EB 12.5, left | Pce | 16 |
| | 9 102 855 Quadro V6+ Silent System, 520, EB 12.5, right | Pce | 16 |

| | | | |
|---------------------|--------------------------------------|-----|-----|
| Double fixing block | 9 069 035 Double fixing block | Pce | 200 |
|---------------------|--------------------------------------|-----|-----|



As individual as you – AvanTech YOU

The new AvanTech YOU drawer system scores from design diversity and creative flexibility, from concealed working parts and perfect performance as well as from an efficient product concept geared to the customer.

Design distinctive drawers: The AvanTech YOU drawer is distinguished by immaculate beauty from its slimline and sleek 13 mm drawer side profile. And by the ability to turn personal ideas into reality every time.

Get a variety of clever functions: One drawer, two runners and numerous user friendly functions. Flexibly combinable with each other by using one and the same drilling pattern. **Efficient and cost effective production:** The comprehensive platform concept and perfect product adjustments to production and assembly processes guarantee cost effectiveness and efficient work flows while at the same time providing the basis for a broad product lineup.



Design diversity and creative flexibility:
Different shapes, colours and materials consistently continue furniture design on the inside too.



Many different options for customisation:
Creative design flexibility in every detail. Attractive highlights are added with design profile and DesignCapes.



Precision designed furniture:
AvanTech YOU competently combines technology, functionality and performance to suit any preference.




hettich.com/short/a07bc8



Find out more:
You can get inspiration and further product details on our website.

► Summary



AvanTech YOU

- Overview of components

38 – 44



AvanTech YOU drawer

- Height 77 mm
- Height 101 mm
- Height 139 mm

38 – 40

38 – 40

38 – 41



AvanTech YOU pot-and-pan drawer

- Height 187 mm
- Height 251 mm

38 – 41

38 – 41

AvanTech YOU Inlay pot-and-pan drawer

- Height 187 mm

38 – 41



AvanTech YOU

- Rear panels
- Front panel for internal drawer / intenal pot and pan drawer

43

43



AvanTech YOU design elements / other accessories

- Design elements
- Other accessories

44

44



AvanTech YOU drawer runners

- Actro YOU

42



Hettich Technical Assistant

- Installation / adjustment
- Service

hettich.com/short/f1d89a


AvanTech YOU double walled drawer system

► Drawer side profiles

| Order no. | Description | UOM | PU |
|---|--|-----|----|
| Drawer side profile set, height 77 mm, silver | | | |
|  | 9 255 240 AvanTech YOU, ZG, H 77 mm, NL 400 mm | Pce | 1 |
| | 9 255 241 AvanTech YOU, ZG, H 77 mm, NL 450 mm | Pce | 1 |
| | 9 255 242 AvanTech YOU, ZG, H 77 mm, NL 500 mm | Pce | 1 |
| | 9 255 243 AvanTech YOU, ZG, H 77 mm, NL 550 mm | Pce | 1 |
| Drawer side profile set, height 101 mm, silver | | | |
|  | 9 255 244 AvanTech YOU, ZG, H 101 mm, NL 270 mm | Pce | 1 |
| | 9 255 245 AvanTech YOU, ZG, H 101 mm, NL 300 mm | Pce | 1 |
| | 9 255 246 AvanTech YOU, ZG, H 101 mm, NL 350 mm | Pce | 1 |
| | 9 255 247 AvanTech YOU, ZG, H 101 mm, NL 400 mm | Pce | 1 |
| | 9 255 248 AvanTech YOU, ZG, H 101 mm, NL 450 mm | Pce | 1 |
| | 9 255 249 AvanTech YOU, ZG, H 101 mm, NL 500 mm | Pce | 1 |
| | 9 255 250 AvanTech YOU, ZG, H 101 mm, NL 550 mm | Pce | 1 |
| | 9 255 251 AvanTech YOU, ZG, H 101 mm, NL 600 mm | Pce | 1 |
| | 9 255 252 AvanTech YOU, ZG, H 101 mm, NL 650 mm | Pce | 1 |
| Drawer side profile set, height 139 mm, silver | | | |
|  | 9 255 254 AvanTech YOU, ZG, H 139 mm, NL 300 mm | Pce | 1 |
| | 9 255 255 AvanTech YOU, ZG, H 139 mm, NL 350 mm | Pce | 1 |
| | 9 255 256 AvanTech YOU, ZG, H 139 mm, NL 400 mm | Pce | 1 |
| | 9 255 257 AvanTech YOU, ZG, H 139 mm, NL 450 mm | Pce | 1 |
| | 9 255 258 AvanTech YOU, ZG, H 139 mm, NL 500 mm | Pce | 1 |
| | 9 255 259 AvanTech YOU, ZG, H 139 mm, NL 550 mm | Pce | 1 |
| | 9 255 260 AvanTech YOU, ZG, H 139 mm, NL 600 mm | Pce | 1 |
| Drawer side profile set, height 187 mm, silver | | | |
|  | 9 255 262 AvanTech YOU, ZG, H 187 mm, NL 270 mm | Pce | 1 |
| | 9 255 263 AvanTech YOU, ZG, H 187 mm, NL 300 mm | Pce | 1 |
| | 9 255 264 AvanTech YOU, ZG, H 187 mm, NL 350 mm | Pce | 1 |
| | 9 255 265 AvanTech YOU, ZG, H 187 mm, NL 400 mm | Pce | 1 |
| | 9 255 266 AvanTech YOU, ZG, H 187 mm, NL 450 mm | Pce | 1 |
| | 9 255 267 AvanTech YOU, ZG, H 187 mm, NL 500 mm | Pce | 1 |
| | 9 255 268 AvanTech YOU, ZG, H 187 mm, NL 550 mm | Pce | 1 |
| | 9 255 269 AvanTech YOU, ZG, H 187 mm, NL 600 mm | Pce | 1 |
| | 9 255 270 AvanTech YOU, ZG, H 187 mm, NL 650 mm | Pce | 1 |



AvanTech YOU double walled drawer system

► Drawer side profiles

| Order no. | Description | UOM | PU |
|---|---|-----|----|
| Drawer side profile set, height 251 mm, silver | | | |
|  | 9 255 273 AvanTech YOU, ZG, H 251 mm, NL 350 mm 9 255 274 AvanTech YOU, ZG, H 251 mm, NL 400 mm 9 255 275 AvanTech YOU, ZG, H 251 mm, NL 450 mm 9 255 276 AvanTech YOU, ZG, H 251 mm, NL 500 mm 9 255 277 AvanTech YOU, ZG, H 251 mm, NL 550 mm 9 255 278 AvanTech YOU, ZG, H 251 mm, NL 600 mm 9 255 279 AvanTech YOU, ZG, H 251 mm, NL 650 mm | Pce | 1 |
| Drawer side profile set, height 77 mm, white | | | |
|  | 9 255 280 AvanTech YOU, ZG, H 77 mm, NL 400 mm 9 255 281 AvanTech YOU, ZG, H 77 mm, NL 450 mm 9 255 282 AvanTech YOU, ZG, H 77 mm, NL 500 mm 9 255 283 AvanTech YOU, ZG, H 77 mm, NL 550 mm | Pce | 1 |
| Drawer side profile set, height 101 mm, white | | | |
|  | 9 255 284 AvanTech YOU, ZG, H101 mm, NL 270 mm 9 255 285 AvanTech YOU, ZG, H101 mm, NL 300 mm 9 255 286 AvanTech YOU, ZG, H101 mm, NL 350 mm 9 255 287 AvanTech YOU, ZG, H101 mm, NL 400 mm 9 255 288 AvanTech YOU, ZG, H101 mm, NL 450 mm 9 255 289 AvanTech YOU, ZG, H101 mm, NL 500 mm 9 255 290 AvanTech YOU, ZG, H101 mm, NL 550 mm 9 255 291 AvanTech YOU, ZG, H101 mm, NL 600 mm 9 255 292 AvanTech YOU, ZG, H101 mm, NL 650 mm | Pce | 1 |
| Drawer side profile set, height 139 mm, white | | | |
|  | 9 255 294 AvanTech YOU, ZG, H 139 mm, NL 300 mm 9 255 295 AvanTech YOU, ZG, H 139 mm, NL 350 mm 9 255 296 AvanTech YOU, ZG, H 139 mm, NL 400 mm 9 255 297 AvanTech YOU, ZG, H 139 mm, NL 450 mm 9 255 298 AvanTech YOU, ZG, H 139 mm, NL 500 mm 9 255 299 AvanTech YOU, ZG, H 139 mm, NL 550 mm 9 255 300 AvanTech YOU, ZG, H 139 mm, NL 600 mm | Pce | 1 |

AvanTech YOU double walled drawer system

► Drawer side profiles


| Order no. | Description | UOM | PU |
|---|--|-----|----|
| Drawer side profile set, height 187 mm, white | | | |
|  | 9 255 302 AvanTech YOU, ZG, H 187 mm, NL 270 mm | Pce | 1 |
| | 9 255 303 AvanTech YOU, ZG, H 187 mm, NL 300 mm | Pce | 1 |
| | 9 255 304 AvanTech YOU, ZG, H 187 mm, NL 350 mm | Pce | 1 |
| | 9 255 305 AvanTech YOU, ZG, H 187 mm, NL 400 mm | Pce | 1 |
| | 9 255 306 AvanTech YOU, ZG, H 187 mm, NL 450 mm | Pce | 1 |
| | 9 255 307 AvanTech YOU, ZG, H 187 mm, NL 500 mm | Pce | 1 |
| | 9 255 308 AvanTech YOU, ZG, H 187 mm, NL 550 mm | Pce | 1 |
| | 9 255 309 AvanTech YOU, ZG, H 187 mm, NL 600 mm | Pce | 1 |
| | 9 255 310 AvanTech YOU, ZG, H 187 mm, NL 650 mm | Pce | 1 |
| Drawer side profile set, height 251 mm, white | | | |
|  | 9 255 313 AvanTech YOU, ZG, H 251 mm, NL 350 mm | Pce | 1 |
| | 9 255 314 AvanTech YOU, ZG, H 251 mm, NL 400 mm | Pce | 1 |
| | 9 255 315 AvanTech YOU, ZG, H 251 mm, NL 450 mm | Pce | 1 |
| | 9 255 316 AvanTech YOU, ZG, H 251 mm, NL 500 mm | Pce | 1 |
| | 9 255 317 AvanTech YOU, ZG, H 251 mm, NL 550 mm | Pce | 1 |
| | 9 255 318 AvanTech YOU, ZG, H 251 mm, NL 600 mm | Pce | 1 |
| | 9 255 319 AvanTech YOU, ZG, H 251 mm, NL 650 mm | Pce | 1 |
| Drawer side profile set, height 77 mm, anthracite | | | |
|  | 9 255 320 AvanTech YOU, ZG, H 77 mm, NL 400 mm | Pce | 1 |
| | 9 255 321 AvanTech YOU, ZG, H 77 mm, NL 450 mm | Pce | 1 |
| | 9 255 322 AvanTech YOU, ZG, H 77 mm, NL 500 mm | Pce | 1 |
| | 9 255 323 AvanTech YOU, ZG, H 77 mm, NL 550 mm | Pce | 1 |
| Drawer side profile set, height 101 mm, anthracite | | | |
|  | 9 255 324 AvanTech YOU, ZG, H 101 mm, NL 270 mm | Pce | 1 |
| | 9 255 325 AvanTech YOU, ZG, H 101 mm, NL 300 mm | Pce | 1 |
| | 9 255 326 AvanTech YOU, ZG, H 101 mm, NL 350 mm | Pce | 1 |
| | 9 255 327 AvanTech YOU, ZG, H 101 mm, NL 400 mm | Pce | 1 |
| | 9 255 328 AvanTech YOU, ZG, H 101 mm, NL 450 mm | Pce | 1 |
| | 9 255 329 AvanTech YOU, ZG, H 101 mm, NL 500 mm | Pce | 1 |
| | 9 255 330 AvanTech YOU, ZG, H 101 mm, NL 550 mm | Pce | 1 |
| | 9 255 331 AvanTech YOU, ZG, H 101 mm, NL 600 mm | Pce | 1 |
| | 9 255 332 AvanTech YOU, ZG, H 101 mm, NL 650 mm | Pce | 1 |

AvanTech YOU double walled drawer system

► Drawer side profiles


| Order no. | Description | UOM | PU |
|-----------|-------------|-----|----|
|-----------|-------------|-----|----|

Drawer side profile set, height 139 mm, anthracite




| | | | |
|------------------|---------------------------------------|-----|---|
| 9 255 334 | AvanTech YOU, ZG, H 139 mm, NL 300 mm | Pce | 1 |
| 9 255 335 | AvanTech YOU, ZG, H 139 mm, NL 350 mm | Pce | 1 |
| 9 255 336 | AvanTech YOU, ZG, H 139 mm, NL 400 mm | Pce | 1 |
| 9 255 337 | AvanTech YOU, ZG, H 139 mm, NL 450 mm | Pce | 1 |
| 9 255 338 | AvanTech YOU, ZG, H 139 mm, NL 500 mm | Pce | 1 |
| 9 255 339 | AvanTech YOU, ZG, H 139 mm, NL 550 mm | Pce | 1 |
| 9 255 340 | AvanTech YOU, ZG, H 139 mm, NL 600 mm | Pce | 1 |

Drawer side profile set, height 187 mm, anthracite



| | | | |
|------------------|---------------------------------------|-----|---|
| 9 255 342 | AvanTech YOU, ZG, H 187 mm, NL 270 mm | Pce | 1 |
| 9 255 343 | AvanTech YOU, ZG, H 187 mm, NL 300 mm | Pce | 1 |
| 9 255 344 | AvanTech YOU, ZG, H 187 mm, NL 350 mm | Pce | 1 |
| 9 255 345 | AvanTech YOU, ZG, H 187 mm, NL 400 mm | Pce | 1 |
| 9 255 346 | AvanTech YOU, ZG, H 187 mm, NL 450 mm | Pce | 1 |
| 9 255 347 | AvanTech YOU, ZG, H 187 mm, NL 500 mm | Pce | 1 |
| 9 255 348 | AvanTech YOU, ZG, H 187 mm, NL 550 mm | Pce | 1 |
| 9 255 349 | AvanTech YOU, ZG, H 187 mm, NL 600 mm | Pce | 1 |
| 9 255 350 | AvanTech YOU, ZG, H 187 mm, NL 650 mm | Pce | 1 |







Drawer side profile set, height 251 mm, anthracite



| | | | |
|------------------|---------------------------------------|-----|---|
| 9 255 353 | AvanTech YOU, ZG, H 251 mm, NL 350 mm | Pce | 1 |
| 9 255 354 | AvanTech YOU, ZG, H 251 mm, NL 400 mm | Pce | 1 |
| 9 255 355 | AvanTech YOU, ZG, H 251 mm, NL 450 mm | Pce | 1 |
| 9 255 356 | AvanTech YOU, ZG, H 251 mm, NL 500 mm | Pce | 1 |
| 9 255 357 | AvanTech YOU, ZG, H 251 mm, NL 550 mm | Pce | 1 |
| 9 255 358 | AvanTech YOU, ZG, H 251 mm, NL 600 mm | Pce | 1 |
| 9 255 359 | AvanTech YOU, ZG, H 251 mm, NL 650 mm | Pce | 1 |






AvanTech YOU double walled drawer system

- **Actro YOU drawer runner with Silent System**
- **Push to open Silent opening system for Actro YOU**

| Order no. | Description | UOM | PU |
|---|--|------|-----|
| Actro YOU drawer runner with Silent System, Load class XS (10 kg) | | | |
|  | 9 256 968 Actro YOU, 10 kg, Drawer runner, 270 mm, EB21 9 256 969 Actro YOU, 10 kg, Drawer runner, 300 mm, EB21 9 256 971 Actro YOU, 10 kg, Drawer runner, 350 mm, EB21 | Pair | 1 |
| | | Pair | 1 |
| | | Pair | 1 |
| Actro YOU drawer runner with Silent System, Load class XS (40 kg) | | | |
|  | 9 256 999 Actro YOU, 40 kg, Drawer runner, 270 mm, EB21 9 257 000 Actro YOU, 40 kg, Drawer runner, 300 mm, EB21 9 257 002 Actro YOU, 40 kg, Drawer runner, 350 mm, EB21 9 257 004 Actro YOU, 40 kg, Drawer runner, 400 mm, EB21 9 257 006 Actro YOU, 40 kg, Drawer runner, 450 mm, EB21 9 257 008 Actro YOU, 40 kg, Drawer runner, 500 mm, EB21 9 257 010 Actro YOU, 40 kg, Drawer runner, 550 mm, EB21 9 268 681 Actro YOU, 40 kg, Drawer runner, 600 mm, EB21 | Pair | 1 |
| | | Pair | 1 |
| Actro YOU drawer runner with Silent System, Load class XS (70 kg) | | | |
|  | 9 257 034 Actro YOU, 70 kg, Drawer runner, 450 mm, EB21 9 257 036 Actro YOU, 70 kg, Drawer runner, 500 mm, EB21 9 257 038 Actro YOU, 70 kg, Drawer runner, 550 mm, EB21 9 257 040 Actro YOU, 70 kg, Drawer runner, 600 mm, EB21 9 257 041 Actro YOU, 70 kg, Drawer runner, 650 mm, EB21 | Pair | 1 |
| | | Pair | 1 |
| | | Pair | 1 |
| | | Pair | 1 |
| Push to open Silent opening system for Actro YOU | | | |
|  | 9 257 890 PTO Silent 10, ACTRO / 5D YOU 9 257 891 PTO Silent 20, ACTRO / 5D YOU 9 257 892 PTO Silent 40, ACTRO / 5D YOU 9 257 893 PTO Silent 70, ACTRO / 5D YOU | Pair | 1 |
| | | Pair | 1 |
| | | Pair | 1 |
| Optional flexible adapter for synchronisation | | | |
|  | 9 262 213 Flexible adapter for synchronisation | Pce | 20 |
| Optional synchronisation deflector for Push to open Silent | | | |
|  | 9 278 453 AT PTO 2.0 BG, Synchronisation deflector | Pce | 1 |
| Optional multisynchronisation for Push to open Silent | | | |
|  | 9 278 452 AT PTO 2.0 Multisynchronisation 9 236 718 Synchronisation bar | Pce | 20 |
| | | Pce | 100 |


AvanTech YOU double walled drawer system

- ▶ Push to open Silent opening system for Actro YOU
- ▶ Drawer side profile heights 101, 139, 187 mm

| | Order no. | Description | UOM | PU |
|---|-----------|--|-----|-----|
| Optional synchronisation for Push to open Silent | | | | |
|  | 9 221 295 | Quadro V6 PTO Connector | Pce | 20 |
| Rear panel stabiliser | | | | |
|  | 9 257 702 | AvanTech YOU Rear panel stabiliser | Pce | 200 |
| Internal front profile for cutting to length | | | | |
|  | 9 257 269 | AvanTech YOU profile Alu, H 101 mm, L 2000 mm, white | Pce | 1 |
| | 9 257 270 | AvanTech YOU profile Alu, H 139 mm, L 2000 mm, white | Pce | 1 |
| | 9 257 271 | AvanTech YOU profile Alu, H 187 mm, L 2000 mm, white | Pce | 1 |
| | 9 257 273 | AvanTech YOU profile Alu, H 101 mm, L 2000 mm, white | Pce | 1 |
| | 9 257 274 | AvanTech YOU profile Alu, H 139 mm, L 2000 mm, white | Pce | 1 |
| | 9 257 275 | AvanTech YOU profile Alu, H 187 mm, L 2000 mm, white | Pce | 1 |
| | 9 257 277 | AvanTech YOU profile Alu, H 101 mm, L 2000 mm, white | Pce | 1 |
| | 9 257 278 | AvanTech YOU profile Alu, H 139 mm, L 2000 mm, white | Pce | 1 |
| | 9 257 279 | AvanTech YOU profile Alu, H 187 mm, L 2000 mm, white | Pce | 1 |
| Set of connectors for internal front profile for cutting to length, for use with drawer side profile | | | | |
|  | 9 257 611 | AvanTech YOU Cover cap, H 101 mm, silver | Pce | 1 |
| | 9 257 612 | AvanTech YOU Cover cap, H 139 mm, silver | Pce | 1 |
| | 9 257 613 | AvanTech YOU Cover cap, H 187 mm, silver | Pce | 1 |
| | 9 257 615 | AvanTech YOU Cover cap, H 101 mm, white | Pce | 1 |
| | 9 257 616 | AvanTech YOU Cover cap, H 139 mm, white | Pce | 1 |
| | 9 257 617 | AvanTech YOU Cover cap, H 187 mm, white | Pce | 1 |
| | 9 257 619 | AvanTech YOU Cover cap, H 101 mm, anthracite | Pce | 1 |
| | 9 257 620 | AvanTech YOU Cover cap, H 139 mm, anthracite | Pce | 1 |
| | 9 257 621 | AvanTech YOU Cover cap, H 187 mm, anthracite | Pce | 1 |
| Catch for internal front panel profile | | | | |
|  | 9 257 734 | AvanTech YOU Catch for front panel, silver | Pce | 1 |
| | 9 257 735 | AvanTech YOU Catch for front panel, white | Pce | 1 |
| | 9 257 736 | AvanTech YOU Catch for front panel, anthracite | Pce | 1 |
| Set of connectors for customisable front panel, height 187 mm, for use with drawer side profile | | | | |
|  | 9 257 651 | AvanTech YOU Front panel connector, silver | Pce | 1 |
| | 9 257 652 | AvanTech YOU Front panel connector, white | Pce | 1 |
| | 9 257 653 | AvanTech YOU Front panel connector, anthracite | Pce | 1 |

AvanTech YOU double walled drawer system

- Drawer side profile height 187 mm
- Design options

| Order no. | Description | UOM | PU |
|---|---|-----|-----|
| Support profile for customisable internal front panel | | | |
|  | 9 257 663 AvanTech YOU Front panel profile, silver | Pce | 1 |
| | 9 257 664 AvanTech YOU Front panel profile, white | Pce | 1 |
| | 9 257 665 AvanTech YOU Front panel profile, anthracite | Pce | 1 |
| Design profile in accent colour | | | |
|  | 9 255 764 AvanTech YOU Designprofile, NL 500 mm, aluminium | Pce | 100 |
| | 9 255 773 AvanTech YOU Designprofile, NL 500 mm, stainless steel | Pce | 100 |
| | 9 255 782 AvanTech YOU Designprofile, NL 500 mm, chrome | Pce | 100 |
| | 9 255 791 AvanTech YOU Designprofile, NL 500 mm, oak | Pce | 100 |
| | 9 255 800 AvanTech YOU Designprofile, NL 500 mm, walnut | Pce | 100 |
| Customisable design profile | | | |
|  | 9 255 831 AvanTech YOU Design profile, L 2000 mm | Pce | 50 |
| DesignCape | | | |
|  | 9 257 643 AvanTech YOU Design cap, H 101 mm, L 2 m, aluminium look | Pce | 1 |
| | 9 257 645 AvanTech YOU Design cap, H 187 mm, L 2 m, aluminium look | Pce | 1 |
| | 9 257 647 AvanTech YOU Design cap, H 101 mm, L 2 m, stainless steel look | Pce | 1 |
| | 9 257 649 AvanTech YOU Design cap, H 187 mm, L 2 m, stainless steel look | Pce | 1 |
| Branding clip | | | |
|  | 9 257 703 AvanTech YOU Branding clip "Hettich", silver | Pce | 200 |
| | 9 257 704 AvanTech YOU Branding clip "Hettich", white | Pce | 200 |
| | 9 257 705 AvanTech YOU Branding clip "Hettich", anthracite | Pce | 200 |



► Summary of ranges

Quadro drawer runners

46 - 47



KA ball bearing runners

Summary

48



Runner systems for wooden drawers

- ▶ Quadro 25
- ▶ Quadro V6

| Order no. | Description | UOM | PU |
|---|--|-----|-----|
| Quadro 25 EB 20 Silent System | | | |
|  | 9 105 661 Quadro 25 with Silent System, 250 mm, left | Pce | 30 |
| | 9 105 662 Quadro 25 with Silent System, 250 mm, right | Pce | 30 |
| | 9 105 665 Quadro 25 with Silent System, 300 mm, left | Pce | 30 |
| | 9 105 666 Quadro 25 with Silent System, 300 mm, right | Pce | 30 |
| | 9 105 669 Quadro 25 with Silent System, 350 mm, left | Pce | 30 |
| | 9 105 670 Quadro 25 with Silent System, 350 mm, right | Pce | 30 |
| | 9 105 673 Quadro 25 with Silent System, 400 mm, left | Pce | 30 |
| | 9 105 674 Quadro 25 with Silent System, 400 mm, right | Pce | 30 |
| | 9 105 677 Quadro 25 with Silent System, 450 mm, left | Pce | 30 |
| | 9 105 678 Quadro 25 with Silent System, 450 mm, right | Pce | 30 |
| | 9 105 682 Quadro 25 with Silent System, 500 mm, left | Pce | 30 |
| | 9 105 683 Quadro 25 with Silent System, 500 mm, right | Pce | 30 |
| Quadro V6 Silent System | | | |
|  | 9 049 306 Quadro V6 with Silent System, 250 mm, left | Pce | 20 |
| | 9 049 307 Quadro V6 with Silent System, 250 mm, right | Pce | 20 |
| | 9 047 647 Quadro V6 with Silent System, 300 mm, left | Pce | 20 |
| | 9 047 648 Quadro V6 with Silent System, 300 mm, right | Pce | 20 |
| | 9 047 662 Quadro V6 with Silent System, 350 mm, left | Pce | 20 |
| | 9 047 666 Quadro V6 with Silent System, 350 mm, right | Pce | 20 |
| | 9 047 735 Quadro V6 with Silent System, 400 mm, left | Pce | 20 |
| | 9 047 736 Quadro V6 with Silent System, 400 mm, right | Pce | 20 |
| | 9 047 751 Quadro V6 with Silent System, 450 mm, left | Pce | 20 |
| | 9 047 752 Quadro V6 with Silent System, 450 mm, right | Pce | 20 |
| | 9 047 770 Quadro V6 with Silent System, 500 mm, left | Pce | 20 |
| | 9 047 771 Quadro V6 with Silent System, 500 mm, right | Pce | 20 |
| | 9 047 774 Quadro V6 with Silent System, 550 mm, left | Pce | 20 |
| | 9 047 775 Quadro V6 with Silent System, 550 mm, right | Pce | 20 |
| Catches | | | |
|  | 9 144 830 Catch for wooden drawers with grooved bottom panel (Quadro 25 and Quadro V6), left | Pce | 100 |
| | 9 144 841 Catch for wooden drawers with grooved bottom panel (Quadro 25 and Quadro V6), right | Pce | 100 |

Runner systems for wooden drawers

► Quadro 4D

| Order no. | Description | UOM | PU |
|---|--|-----|----|
| Quadro 4D Silent System | | | |
|  | 9 245 382 Quadro 4D Silent System 250 | Pce | 1 |
| | 9 245 383 Quadro 4D Silent System 280 | Pce | 1 |
| | 9 245 384 Quadro 4D Silent System 300 | Pce | 1 |
| | 9 245 385 Quadro 4D Silent System 320 | Pce | 1 |
| | 9 245 386 Quadro 4D Silent System 350 | Pce | 1 |
| | 9 245 387 Quadro 4D Silent System 380 | Pce | 1 |
| | 9 245 388 Quadro 4D Silent System 400 | Pce | 1 |
| | 9 245 389 Quadro 4D Silent System 420 | Pce | 1 |
| | 9 245 390 Quadro 4D Silent System 450 | Pce | 1 |
| | 9 245 391 Quadro 4D Silent System 480 | Pce | 1 |
| | 9 245 392 Quadro 4D Silent System 500 | Pce | 1 |
| | 9 245 393 Quadro 4D Silent System 520 | Pce | 1 |
| | 9 245 394 Quadro 4D Silent System 550 | Pce | 1 |
| | 9 245 395 Quadro 4D Silent System 580 | Pce | 1 |
| | 9 245 396 Quadro 4D Silent System 600 | Pce | 1 |

Catch and tilt adjustment (Quadro 4D V6)



9 247 529 Catch and tilt adjustment set (Quadro 4D V6)

Pce 1

Push to open Silent for Quadro 4D V6 with Silent System



9 246 316 Push to open Silent für Quadro 4D V6 mit Silent System, 10 - 30 kg

Pce 1

Runner systems for wooden drawers

- ▶ KA 4532
- ▶ KA 5632

| Order no. | Description | UOM | PU |
|-----------|-------------|-----|----|
|-----------|-------------|-----|----|

KA 4532 Silent System ball bearing runner, 12.7 mm installed width, full extension



| | | | |
|------------------|--|-----|---|
| 9 114 271 | Ball bearing runner KA 4532 Silent System, 12.7 mm installed width, 300 mm | Pce | 1 |
| 9 114 273 | Ball bearing runner KA 4532 Silent System, 12.7 mm installed width, 350 mm | Pce | 1 |
| 9 114 274 | Ball bearing runner KA 4532 Silent System, 12.7 mm installed width, 400 mm | Pce | 1 |
| 9 114 275 | Ball bearing runner KA 4532 Silent System, 12.7 mm installed width, 450 mm | Pce | 1 |
| 9 114 276 | Ball bearing runner KA 4532 Silent System, 12.7 mm installed width, 500 mm | Pce | 1 |
| 9 114 277 | Ball bearing runner KA 4532 Silent System, 12.7 mm installed width, 550 mm | Pce | 1 |
| 9 114 278 | Ball bearing runner KA 4532 Silent System, 12.7 mm installed width, 600 mm | Pce | 1 |
| 9 114 279 | Ball bearing runner KA 4532 Silent System, 12.7 mm installed width, 650 mm | Pce | 1 |
| 9 114 280 | Ball bearing runner KA 4532 Silent System, 12.7 mm installed width, 700 mm | Pce | 1 |

KA 4532 Push to open ball bearing runner, 12.7 mm installed width



| | | | |
|------------------|---|-----|---|
| 9 114 281 | Ball bearing runner KA 4532 Push to open, 12.7 mm installed width, 300 mm | Pce | 1 |
| 9 114 282 | Ball bearing runner KA 4532 Push to open, 12.7 mm installed width, 350 mm | Pce | 1 |
| 9 114 283 | Ball bearing runner KA 4532 Push to open, 12.7 mm installed width, 400 mm | Pce | 1 |
| 9 114 284 | Ball bearing runner KA 4532 Push to open, 12.7 mm installed width, 450 mm | Pce | 1 |
| 9 114 285 | Ball bearing runner KA 4532 Push to open, 12.7 mm installed width, 500 mm | Pce | 1 |
| 9 114 286 | Ball bearing runner KA 4532 Push to open, 12.7 mm installed width, 550 mm | Pce | 1 |
| 9 114 288 | Ball bearing runner KA 4532 Push to open, 12.7 mm installed width, 600 mm | Pce | 1 |
| 9 114 289 | Ball bearing runner KA 4532 Push to open, 12.7 mm installed width, 650 mm | Pce | 1 |
| 9 114 290 | Ball bearing runner KA 4532 Push to open, 12.7 mm installed width, 700 mm | Pce | 1 |

KA 5632 SC ball bearing runner with self closing mechanism, 12.7 mm installed width



| | | | |
|------------------|---|-----|---|
| 9 080 470 | Ball bearing runner KA 5632 SC with self closing mechanism, 12.7 mm installed width, 300 mm | Pce | 1 |
| 9 080 471 | Ball bearing runner KA 5632 SC with self closing mechanism, 12.7 mm installed width, 350 mm | Pce | 1 |
| 9 080 474 | Ball bearing runner KA 5632 SC with self closing mechanism, 12.7 mm installed width, 400 mm | Pce | 1 |
| 9 080 475 | Ball bearing runner KA 5632 SC with self closing mechanism, 12.7 mm installed width, 450 mm | Pce | 1 |
| 9 080 476 | Ball bearing runner KA 5632 SC with self closing mechanism, 12.7 mm installed width, 500 mm | Pce | 1 |
| 9 080 478 | Ball bearing runner KA 5632 SC with self closing mechanism, 12.7 mm installed width, 550 mm | Pce | 1 |
| 9 080 479 | Ball bearing runner KA 5632 SC with self closing mechanism, 12.7 mm installed width, 600 mm | Pce | 1 |
| 9 080 480 | Ball bearing runner KA 5632 SC with self closing mechanism, 12.7 mm installed width, 650 mm | Pce | 1 |
| 9 080 481 | Ball bearing runner KA 5632 SC with self closing mechanism, 12.7 mm installed width, 700 mm | Pce | 1 |

Sliding and folding door systems

► Summary of ranges


Sliding door systems for overlay
and inset door position

50 - 51




Sliding door system for overlay and inset door position

► System components SlideLine 55 Plus






| | Order no. | Description | UOM | PU |
|---|------------------|--|-----|-----|
| Running components | | | | |
|  | 9 115 219 | SlideLine 55 Plus Runner component for screwing on for cabinets with 2 inset doors, plastic | Pce | 100 |
| Guide components and Silent System | | | | |
|  | 9 115 217 | SlideLine 55 Plus Guide component for screwing on for cabinets with 2 inset doors, plastic | Pce | 100 |
| Accessories | | | | |
|  | 9 115 216 | Screw on door stop / spacer | Pce | 100 |
| Silent System activator and stay closed function | | | | |
|  | 9 115 218 | Stay closed function | Pce | 100 |
| Runner and guide profiles | | | | |
|  | 0 025 120 | Runner and guide profiles STB 55, 4000 mm, white, 15 kg | Pce | 30 |
| | 1 079 090 | Runner and guide profiles STB 55, 4000 mm, silver, 30 kg | Pce | 4 |
| Runner and guide components | | | | |
|  | 9 156 338 | SlideLine M Set of fittings for doors with Silent System (soft closing, soft opening and soft colliding), 30 kg, Minimum door width in mm: 450 | Pce | 1 |
|  | 9 156 339 | SlideLine M Set of fittings for doors without Silent System, 30 kg, Minimum door width in mm: 300 | Pce | 1 |
| Profiles | | | | |
|  | 9 227 245 | SlideLine M Profile set: 2-track runner profile for screwing on / gluing on, 2500 mm | Pce | 1 |
| Runner and guide components | | | | |
|  | 9 136 103 | SysLine S Set without Silent System | Pce | 30 |

Sliding door system for overlay and inset door position





- ▶ System components
- ▶ Folding door system, WingLine L

| | Order no. | Description | UOM | PU |
|--|------------------|---|-----|-----|
| Runner profiles | | | | |
|  | 9 145 851 | Runner profile for gluing in SysLine S, 2000 mm | Pce | 1 |
| Optional runner systems | | | | |
|  | 0 025 119 | STB 35 bottom door guide, glides, brown | Pce | 100 |
|  | 0 046 789 | STB 35 guide profile, 3500 mm, white | Pce | 25 |
| WingLine L | | | | |
|  | 9 237 880 | WingLine L set of fittings for max. door wing weight of 25 kg without self closing feature, 600 mm, left | Pce | 1 |
| | 9 237 881 | WingLine L set of fittings for max. door wing weight of 25 kg without self closing feature, 600 mm, right | Pce | 1 |
| | 9 238 051 | Push to move with magnetic stay closed function, centre, Door wing width mm 450, left | Pce | 1 |
| | 9 238 101 | Push to move with magnetic stay closed function, centre, Door wing width mm 450, right | Pce | 1 |
| | 9 237 903 | WingLine L set of fittings for max. door panel weight of 12 kg with self closing feature, without bottom guide, 600 mm, left | Pce | 1 |
| | 9 238 902 | WingLine L set of fittings for max. door panel weight of 12 kg with self closing feature, without bottom guide, 600 mm, right | Pce | 1 |
| | 9 237 916 | Runner profile WingLine L, 1200 mm, anodised | Pce | 1 |
| | 9 239 311 | WingLine L Profile set, 1200 | Pce | 1 |
| | 9 239 310 | WingLine L Profile set, 2400 | Pce | 1 |

| | | |
|---|----|---|
| Connecting fittings for cabinet bodies | 53 |  |
| Other connecting fittings | 54 |  |
| Plinth adjustment fittings | 55 |  |
| Shelf supports / rails and brackets | 53 |  |
| Cabinet suspension brackets and suspension rails Summary | 54 |  |

| | Order no. | Description | UOM | PU |
|---|------------------|---|-----|-----|
| Rastex 15 | | | | |
|  | 0 025 064 | Rastex 15 without rim, 19mm, nickel plated | Pce | 200 |
|  | 0 071 948 | Rastex 15 with rim, nickel plated, 16 mm | Pce | 200 |
| Twister DU 243 T / DU 232 T Screw in dowel | | | | |
|  | 0 020 056 | Screw in dowel Twister DU 243 T, 20 mm, green | Pce | 200 |
|  | 0 020 058 | Screw in dowel Twister DU 232 T, galvanised, 30 mm | Pce | 200 |
| VB 35 / 19 for 19 mm shelves | | | | |
|  | 0 065 513 | Drilling pattern for shelves VB 35 / 19 for 19 mm shelves, nickel plated | Pce | 200 |
|  | | | | |
| <small>Dowel centre from underside of shelf</small> | | | | |
| VB 35 / 16 for 16 mm shelves | | | | |
|  | 0 065 509 | Drilling pattern for shelves VB 35 / 16 for 16 mm shelves, nickel plated | Pce | 200 |
|  | | | | |
| <small>Dowel centre from underside of shelf</small> | | | | |
| Screw in dowel DU 322 | | | | |
|  | 0 064 872 | Screw in dowel DU 322, 6.7 mm, galvanised | Pce | 200 |
|  | | | | |
|  | | | | |
| Screw in dowel DU 321 | | | | |
|  | 0 074 688 | Screw in dowel DU 321 | Pce | 200 |
|  | | | | |
|  | | | | |
| Safety | | | | |
|  | 0 016 180 | Shelf supports Safety, ø 5 mm, steel, Plastic translucent | Pce | 500 |
|  | | | | |
| Duplo | | | | |
|  | 0 013 138 | Shelf supports Duplo, galvanised | Pce | 500 |
|  | | | | |

| | Order no. | Description | UOM | PU |
|---|------------------|------------------------------------|-----|-----|
| Accessories, RV 7 D / fixing elements | | | | |
|  | 0 046 080 | MultiClip | Pce | 200 |
| AVB 4 Slim | | | | |
|  | 9 085 654 | AVB 4 Slim, 100 mm | Pce | 50 |
| Cabinet suspension bracket SAH 130 | | | | |
|  | 0 079 724 | Cabinet suspension bracket SAH 130 | Pce | 25 |
| Suspension rail, type L, snaps off | | | | |
|  | 9 208 678 | Suspension rail Type L | Pce | 200 |
| Fixing screw | | | | |
|  | 0 047 451 | Flh. Euro skruer 6.3 x 11 | Pce | 200 |
| | 0 047 452 | Flh. Euro skruer 6.3 x 14 | Pce | 200 |

| | Order no. | Description | UOM | PU |
|---|---|---|-----|----|
| Euro plinth foot | | | | |
|  |  | 0 071 840 Levelling foot Euro, 100 mm | Pce | 40 |
| | | 0 071 842 Levelling foot Euro, 150 mm | Pce | 40 |
| Plinth panel holder, for screwing on | | | | |
|  |  | 0 071 845 Plinth-panel holder, for screwing on | Pce | 40 |
| Plinth clip „TurboClip“ | | | | |
|  |  | 0 079 690 Plinth clip "Planform" for front plinths | Pce | 40 |
| | | 0 079 691 Plinth clip "Planform" for front plinths | Pce | 40 |
| Plinth adjustment screw with M8 thread | | | | |
|  |  | 0 047 642 Leveller screw with M8 thread, 100mm | Pce | 40 |
| | | 0 047 644 Metal bracket with M8 thread | Pce | 40 |

Fitting systems for kitchens

57 – 58




Fitting systems for bathrooms and utility rooms

57 – 58




Fitting systems for wardrobe interiors

57 – 58










Fitting systems for interior design Amari 200 shelf system







57 – 58



Cabinet interiors

| | Order no. | Description | UOM | PU |
|---|------------------|---|-----|----|
| OrgaClip | 9 217 556 | ORGASTRIPE CLIP, GGR HE60142 | Pce | 30 |
|  | | | | |
| OrgaStripe profile | 9 217 559 | ORGASTRIPE PROFIL, 1100 mm, GGR HE59983 | Pce | 30 |
|  | | | | |
| OrgaStore 810 / 830, adapter | 9 278 248 | AvT OrgaStore 830 Adapter, SI, SE20739 | Pce | 30 |
|  | | | | |
| OrgaStore 810 / 830, lengthwise divider | 9 278 249 | AvT OrgaStore 830 | Pce | 15 |
|  | 9 278 250 | AvT OrgaStore 830 | Pce | 15 |
| | | | | |
| OrgaTray 270, cutlery tray | 9 278 291 | OrgaTray 270 Cutlery tray, B 270 mm, T 450 mm, AZ | Pce | 1 |
|  | 9 278 292 | OrgaTray 270 Cutlery tray, B 270 mm, T 500 mm, AZ | Pce | 1 |
| | | | | |
| OrgaTray 270, multifunction insert | 9 278 293 | OrgaTray 270 Multifunction insert, B 150 mm, T 450 mm, AZ | Pce | 1 |
|  | 9 278 294 | OrgaTray 270 Multifunction insert, B 150 mm, T 500 mm, AZ | Pce | 1 |
| | | | | |
| OrgaTray 270, knife holder | 9 278 295 | OrgaTray 270 Knife holder, B 150 mm, T 450 mm, AZ | Pce | 1 |
|  | 9 278 296 | OrgaTray 270 Knife holder, B 150 mm, T 500 mm, AZ | Pce | 1 |
| | | | | |
| OrgaTray 270, roll holder | 9 278 297 | OrgaTray 270 Roll holder, B 150 mm, T 450 mm, AZ | Pce | 1 |
|  | 9 278 298 | OrgaTray 270 Roll holder, B 150 mm, T 500 mm, AZ | Pce | 1 |
| | | | | |
| OrgaTray 270, spice rack | 9 278 299 | OrgaTray 270 Spice rack, B 150 mm, T 450 mm, AZ | Pce | 1 |
|  | 9 278 300 | OrgaTray 270 Spice rack, B 150 mm, T 500 mm, AZ | Pce | 1 |
| | | | | |

Cabinet interiors

| | Order no. | Description | UOM | PU |
|---|------------------|--|-----|----|
| OrgaTray 270, tray | | | | |
|  | 9 278 301 | OrgaTray 270 Tray, B 300 mm, T 118 mm, AZ | Pce | 1 |
| | 9 278 302 | OrgaTray 270 Tray, B 300 mm, T 105 mm, AZ | Pce | 1 |
| OrgaTray 270, lengthways filler | | | | |
|  | 9 279 203 | OrgaTray 270 Lengthways filler, T 100 mm, B 1200 mm, AZ | Pce | 1 |
| | 9 279 204 | OrgaTray 270 Lengthways filler, T 89 mm, B 1200 mm, AZ | Pce | 1 |
| OrgaStore 270, box | | | | |
|  | 9 278 309 | OrgaStore 270 Box, 231 x 237 mm, AZ | Pce | 1 |
| OrgaStore 230, plate holder | | | | |
|  | 9 278 310 | OrgaStore 270 Plate holder, AZ | Pce | 1 |
| OrgaTray 270, connecting element | | | | |
|  | 9 278 312 | OrgaTray 270 Alu-Clip | Pce | 1 |
| Metal surround for U bend cutout – square | | | | |
|  | 9 278 342 | Metal surround for U bend cutout – square FA, silver | Pce | 1 |
| | 9 278 343 | Metal surround for U bend cutout – square FA, anthracit | Pce | 1 |
| | 9 278 344 | Metal surround for U bend cutout – square FA, white | Pce | 1 |
| LeMans II, Shelf sets | | | | |
|  | 9 136 174 | LeMans II Shelf sets, Arena CLASSIC, powder coated silver, 450 mm, left | Pce | 1 |
| | 9 136 175 | LeMans II Shelf sets, Arena CLASSIC, powder coated silver, 450 mm, right | Pce | 1 |
| | 9 136 176 | LeMans II Shelf sets, Arena CLASSIC, powder coated silver, 500 mm, left | Pce | 1 |
| | 9 136 177 | LeMans II Shelf sets, Arena CLASSIC, powder coated silver, 500 mm, right | Pce | 1 |
| Pivot arms for LeMans II | | | | |
|  | 9 132 546 | Pivot arms for LeMans II, 600 – 750 mm, white | Pce | 1 |

Assembly machinery

► Summary of ranges

**BlueMax automatic drilling
and insertion machines**

60 - 61



Assembly aids and drilling jigs

60 - 61




Drills and bits

60 - 61



Drilling jigs

► Pratica

| | Order no. | Description | UOM | PU |
|---|---|--|-----|----|
| Practica 265 for AvanTech YOU | 9 254 997 | AvanTech YOU Practica 265 | Pce | 1 |
|  | | | | |
| Practica for AvanTech YOU | 9 257 320 | AvanTech YOU Practica | Pce | 1 |
|  |  | | | |
| Practica 275 for AvanTech YOU | 9 257 321 | AvanTech YOU Practica 275 | Pce | 1 |
|  | | | | |
| BlueJig AvanTech 105 | 9 257 323 | AvanTech YOU BlueJig 105 | Pce | 1 |
|  | | | | |
| BlueJig AvanTech 205 | 9 257 324 | AvanTech YOU BlueJig 205 | Pce | 1 |
|  | | | | |
| BlueJig Push to open | 9 257 326 | AvanTech YOU PTO | Pce | 1 |
|  | | | | |
| Cabinet body drilling jig for runners | 9 257 327 | AvanTech YOU cabinet body drilling jig | Pce | 1 |
|  | | | | |
| Practica 250 for AvanTech YOU | 9 219 328 | AvanTech YOU Practica 250 | Pce | 1 |
|  | | | | |

Drilling jigs

| | Order no. | Description | UOM | PU |
|---|-----------|---|-----|----|
| AvanFit 100 | 9 219 678 | AvanFit 100 | Pce | 1 |
|  | | | | |
| Centring drill bit | 9 257 319 | AvanTech YOU Centring drill bit Practica 250/200 | Pce | 1 |
|  | | | | |
| AvanTech YOU Starter kid | 9 285 179 | AvanTech YOU Starter kid | Pce | 1 |
|  | | | | |
| DrillJig Hinge drilling jig | 0 046 413 | DrillJig Hinge drilling jig, drill bit ø 35 mm / 2 x ø 2.5 mm | Pce | 1 |
|  | | | | |
| BlueJig Hinge | 0 045 150 | BlueJig Hinge | Pce | 1 |
|  | | | | |

Order number index

| Order no. | Page |
|-----------|------|-----------|------|-----------|------|-----------|------|-----------|------|
| 0 013 138 | 51 | 9 039 093 | 33 | 9 080 475 | 46 | 9 115 216 | 48 | 9 194 526 | 31 |
| 0 013 225 | 30 | 9 039 095 | 33 | 9 080 476 | 46 | 9 115 217 | 48 | 9 194 527 | 31 |
| 0 013 233 | 27 | 9 043 643 | 25 | 9 080 478 | 46 | 9 115 218 | 48 | 9 194 528 | 31 |
| 0 013 235 | 27 | 9 043 644 | 25 | 9 080 479 | 46 | 9 115 219 | 48 | 9 194 529 | 31 |
| 0 016 180 | 51 | 9 043 679 | 25 | 9 080 480 | 46 | 9 117 782 | 31 | 9 194 530 | 31 |
| 0 020 056 | 51 | 9 043 682 | 25 | 9 080 481 | 46 | 9 132 546 | 56 | 9 194 531 | 31 |
| 0 020 058 | 51 | 9 044 825 | 25 | 9 085 654 | 52 | 9 136 103 | 48 | 9 194 532 | 31 |
| 0 025 064 | 51 | 9 046 288 | 33 | 9 088 078 | 25 | 9 136 174 | 56 | 9 194 533 | 31 |
| 0 025 119 | 49 | 9 046 289 | 33 | 9 088 081 | 25 | 9 136 175 | 56 | 9 194 536 | 31 |
| 0 025 120 | 48 | 9 046 294 | 33 | 9 088 090 | 25 | 9 136 176 | 56 | 9 194 537 | 31 |
| 0 030 866 | 27 | 9 046 295 | 33 | 9 088 093 | 25 | 9 136 177 | 56 | 9 194 538 | 31 |
| 0 040 242 | 27 | 9 046 304 | 33 | 9 088 244 | 26 | 9 144 830 | 44 | 9 194 539 | 31 |
| 0 045 044 | 27 | 9 046 305 | 33 | 9 088 245 | 26 | 9 144 841 | 44 | 9 194 540 | 31 |
| 0 045 150 | 59 | 9 047 171 | 33 | 9 088 246 | 26 | 9 145 851 | 49 | 9 194 541 | 31 |
| 0 046 080 | 52 | 9 047 172 | 33 | 9 088 248 | 26 | 9 156 338 | 48 | 9 194 542 | 31 |
| 0 046 413 | 59 | 9 047 180 | 33 | 9 089 605 | 26 | 9 156 339 | 48 | 9 194 543 | 31 |
| 0 046 789 | 49 | 9 047 181 | 33 | 9 089 607 | 26 | 9 194 390 | 29 | 9 194 544 | 31 |
| 0 047 451 | 52 | 9 047 647 | 44 | 9 094 300 | 25 | 9 194 391 | 29 | 9 194 545 | 31 |
| 0 047 452 | 52 | 9 047 648 | 44 | 9 099 560 | 26 | 9 194 392 | 29 | 9 194 546 | 31 |
| 0 047 642 | 53 | 9 047 662 | 44 | 9 099 566 | 26 | 9 194 393 | 29 | 9 194 547 | 31 |
| 0 047 644 | 53 | 9 047 666 | 44 | 9 099 776 | 26 | 9 194 394 | 29 | 9 194 627 | 29 |
| 0 064 872 | 51 | 9 047 735 | 44 | 9 102 854 | 33 | 9 194 395 | 29 | 9 194 628 | 29 |
| 0 065 509 | 51 | 9 047 736 | 44 | 9 102 855 | 33 | 9 194 396 | 29 | 9 194 635 | 30 |
| 0 065 513 | 51 | 9 047 751 | 44 | 9 104 107 | 31 | 9 194 397 | 29 | 9 194 636 | 30 |
| 0 071 840 | 53 | 9 047 752 | 44 | 9 105 661 | 44 | 9 194 398 | 29 | 9 194 639 | 30 |
| 0 071 842 | 53 | 9 047 770 | 44 | 9 105 662 | 44 | 9 194 399 | 29 | 9 194 640 | 30 |
| 0 071 845 | 53 | 9 047 771 | 44 | 9 105 665 | 44 | 9 194 400 | 29 | 9 194 646 | 30 |
| 0 071 948 | 51 | 9 047 774 | 44 | 9 105 666 | 44 | 9 194 401 | 29 | 9 194 647 | 30 |
| 0 074 688 | 51 | 9 047 775 | 44 | 9 105 669 | 44 | 9 194 404 | 29 | 9 194 764 | 31 |
| 0 077 736 | 27 | 9 049 306 | 44 | 9 105 670 | 44 | 9 194 405 | 29 | 9 194 765 | 31 |
| 0 077 913 | 30 | 9 049 307 | 44 | 9 105 673 | 44 | 9 194 406 | 29 | 9 194 934 | 32 |
| 0 079 389 | 27 | 9 069 035 | 33 | 9 105 674 | 44 | 9 194 407 | 29 | 9 194 936 | 32 |
| 0 079 690 | 53 | 9 071 223 | 25 | 9 105 677 | 44 | 9 194 408 | 29 | 9 194 937 | 32 |
| 0 079 691 | 53 | 9 071 577 | 26 | 9 105 678 | 44 | 9 194 409 | 29 | 9 194 939 | 32 |
| 0 079 724 | 52 | 9 071 625 | 26 | 9 105 682 | 44 | 9 194 410 | 29 | 9 194 965 | 32 |
| 1 061 450 | 32 | 9 071 627 | 26 | 9 105 683 | 44 | 9 194 411 | 29 | 9 194 967 | 32 |
| 1 061 965 | 32 | 9 072 555 | 25 | 9 114 271 | 46 | 9 194 412 | 29 | 9 194 968 | 32 |
| 1 062 501 | 29 | 9 072 560 | 25 | 9 114 273 | 46 | 9 194 413 | 29 | 9 194 971 | 32 |
| 1 062 502 | 29 | 9 073 570 | 25 | 9 114 274 | 46 | 9 194 414 | 29 | 9 196 348 | 31 |
| 1 062 903 | 29 | 9 073 571 | 25 | 9 114 275 | 46 | 9 194 415 | 29 | 9 208 678 | 52 |
| 1 062 905 | 29 | 9 073 572 | 25 | 9 114 276 | 46 | 9 194 441 | 29 | 9 217 556 | 55 |
| 1 062 907 | 29 | 9 073 605 | 25 | 9 114 277 | 46 | 9 194 443 | 29 | 9 217 559 | 55 |
| 1 062 960 | 29 | 9 073 626 | 25 | 9 114 278 | 46 | 9 194 445 | 29 | 9 219 328 | 58 |
| 1 065 191 | 32 | 9 073 627 | 25 | 9 114 279 | 46 | 9 194 447 | 29 | 9 219 678 | 59 |
| 1 079 090 | 48 | 9 073 628 | 25 | 9 114 280 | 46 | 9 194 467 | 30 | 9 221 295 | 41 |
| 9 002 503 | 32 | 9 073 671 | 25 | 9 114 281 | 46 | 9 194 469 | 30 | 9 227 245 | 48 |
| 9 004 068 | 30 | 9 073 677 | 25 | 9 114 282 | 46 | 9 194 471 | 30 | 9 236 718 | 40 |
| 9 004 070 | 30 | 9 073 690 | 25 | 9 114 283 | 46 | 9 194 474 | 30 | 9 237 880 | 49 |
| 9 004 072 | 30 | 9 073 691 | 25 | 9 114 284 | 46 | 9 194 518 | 30 | 9 237 881 | 49 |
| 9 004 074 | 30 | 9 075 080 | 26 | 9 114 285 | 46 | 9 194 520 | 30 | 9 237 903 | 49 |
| 9 007 355 | 30 | 9 075 082 | 26 | 9 114 286 | 46 | 9 194 522 | 31 | 9 237 916 | 49 |
| 9 007 356 | 30 | 9 080 470 | 46 | 9 114 288 | 46 | 9 194 523 | 31 | 9 238 051 | 49 |
| 9 027 831 | 30 | 9 080 471 | 46 | 9 114 289 | 46 | 9 194 524 | 31 | 9 238 101 | 49 |
| 9 027 832 | 30 | 9 080 474 | 46 | 9 114 290 | 46 | 9 194 525 | 31 | 9 238 902 | 49 |

Order number index

| Order no. | Page |
|-----------|------|-----------|------|-----------|------|-----------|------|-----------|------|
| 9 239 310 | 49 | 9 255 278 | 37 | 9 255 337 | 39 | 9 257 324 | 58 | 9 278 343 | 56 |
| 9 239 311 | 49 | 9 255 279 | 37 | 9 255 338 | 39 | 9 257 326 | 58 | 9 278 344 | 56 |
| 9 245 382 | 45 | 9 255 280 | 37 | 9 255 339 | 39 | 9 257 327 | 58 | 9 278 452 | 40 |
| 9 245 383 | 45 | 9 255 281 | 37 | 9 255 340 | 39 | 9 257 611 | 41 | 9 278 453 | 40 |
| 9 245 384 | 45 | 9 255 282 | 37 | 9 255 342 | 39 | 9 257 612 | 41 | 9 279 203 | 56 |
| 9 245 385 | 45 | 9 255 283 | 37 | 9 255 343 | 39 | 9 257 613 | 41 | 9 279 204 | 56 |
| 9 245 386 | 45 | 9 255 284 | 37 | 9 255 344 | 39 | 9 257 615 | 41 | 9 285 179 | 59 |
| 9 245 387 | 45 | 9 255 285 | 37 | 9 255 345 | 39 | 9 257 616 | 41 | | |
| 9 245 388 | 45 | 9 255 286 | 37 | 9 255 346 | 39 | 9 257 617 | 41 | | |
| 9 245 389 | 45 | 9 255 287 | 37 | 9 255 347 | 39 | 9 257 619 | 41 | | |
| 9 245 390 | 45 | 9 255 288 | 37 | 9 255 348 | 39 | 9 257 620 | 41 | | |
| 9 245 391 | 45 | 9 255 289 | 37 | 9 255 349 | 39 | 9 257 621 | 41 | | |
| 9 245 392 | 45 | 9 255 290 | 37 | 9 255 350 | 39 | 9 257 643 | 42 | | |
| 9 245 393 | 45 | 9 255 291 | 37 | 9 255 353 | 39 | 9 257 645 | 42 | | |
| 9 245 394 | 45 | 9 255 292 | 37 | 9 255 354 | 39 | 9 257 647 | 42 | | |
| 9 245 395 | 45 | 9 255 294 | 37 | 9 255 355 | 39 | 9 257 649 | 42 | | |
| 9 245 396 | 45 | 9 255 295 | 37 | 9 255 356 | 39 | 9 257 651 | 41 | | |
| 9 246 316 | 45 | 9 255 296 | 37 | 9 255 357 | 39 | 9 257 652 | 41 | | |
| 9 247 529 | 45 | 9 255 297 | 37 | 9 255 358 | 39 | 9 257 653 | 41 | | |
| 9 254 997 | 58 | 9 255 298 | 37 | 9 255 359 | 39 | 9 257 663 | 42 | | |
| 9 255 240 | 36 | 9 255 299 | 37 | 9 255 764 | 42 | 9 257 664 | 42 | | |
| 9 255 241 | 36 | 9 255 300 | 37 | 9 255 773 | 42 | 9 257 665 | 42 | | |
| 9 255 242 | 36 | 9 255 302 | 38 | 9 255 782 | 42 | 9 257 702 | 41 | | |
| 9 255 243 | 36 | 9 255 303 | 38 | 9 255 791 | 42 | 9 257 703 | 42 | | |
| 9 255 244 | 36 | 9 255 304 | 38 | 9 255 800 | 42 | 9 257 704 | 42 | | |
| 9 255 245 | 36 | 9 255 305 | 38 | 9 255 831 | 42 | 9 257 705 | 42 | | |
| 9 255 246 | 36 | 9 255 306 | 38 | 9 256 968 | 40 | 9 257 734 | 41 | | |
| 9 255 247 | 36 | 9 255 307 | 38 | 9 256 969 | 40 | 9 257 735 | 41 | | |
| 9 255 248 | 36 | 9 255 308 | 38 | 9 256 971 | 40 | 9 257 736 | 41 | | |
| 9 255 249 | 36 | 9 255 309 | 38 | 9 256 999 | 40 | 9 257 890 | 40 | | |
| 9 255 250 | 36 | 9 255 310 | 38 | 9 257 000 | 40 | 9 257 891 | 40 | | |
| 9 255 251 | 36 | 9 255 313 | 38 | 9 257 002 | 40 | 9 257 892 | 40 | | |
| 9 255 252 | 36 | 9 255 314 | 38 | 9 257 004 | 40 | 9 257 893 | 40 | | |
| 9 255 254 | 36 | 9 255 315 | 38 | 9 257 006 | 40 | 9 262 213 | 40 | | |
| 9 255 255 | 36 | 9 255 316 | 38 | 9 257 008 | 40 | 9 268 681 | 40 | | |
| 9 255 256 | 36 | 9 255 317 | 38 | 9 257 010 | 40 | 9 278 248 | 55 | | |
| 9 255 257 | 36 | 9 255 318 | 38 | 9 257 034 | 40 | 9 278 249 | 55 | | |
| 9 255 258 | 36 | 9 255 319 | 38 | 9 257 036 | 40 | 9 278 250 | 55 | | |
| 9 255 259 | 36 | 9 255 320 | 38 | 9 257 038 | 40 | 9 278 291 | 55 | | |
| 9 255 260 | 36 | 9 255 321 | 38 | 9 257 040 | 40 | 9 278 292 | 55 | | |
| 9 255 262 | 36 | 9 255 322 | 38 | 9 257 041 | 40 | 9 278 293 | 55 | | |
| 9 255 263 | 36 | 9 255 323 | 38 | 9 257 269 | 41 | 9 278 294 | 55 | | |
| 9 255 264 | 36 | 9 255 324 | 38 | 9 257 270 | 41 | 9 278 295 | 55 | | |
| 9 255 265 | 36 | 9 255 325 | 38 | 9 257 271 | 41 | 9 278 296 | 55 | | |
| 9 255 266 | 36 | 9 255 326 | 38 | 9 257 273 | 41 | 9 278 297 | 55 | | |
| 9 255 267 | 36 | 9 255 327 | 38 | 9 257 274 | 41 | 9 278 298 | 55 | | |
| 9 255 268 | 36 | 9 255 328 | 38 | 9 257 275 | 41 | 9 278 299 | 55 | | |
| 9 255 269 | 36 | 9 255 329 | 38 | 9 257 277 | 41 | 9 278 300 | 55 | | |
| 9 255 270 | 36 | 9 255 330 | 38 | 9 257 278 | 41 | 9 278 301 | 56 | | |
| 9 255 273 | 37 | 9 255 331 | 38 | 9 257 279 | 41 | 9 278 302 | 56 | | |
| 9 255 274 | 37 | 9 255 332 | 38 | 9 257 319 | 59 | 9 278 309 | 56 | | |
| 9 255 275 | 37 | 9 255 334 | 39 | 9 257 320 | 58 | 9 278 310 | 56 | | |
| 9 255 276 | 37 | 9 255 335 | 39 | 9 257 321 | 58 | 9 278 312 | 56 | | |
| 9 255 277 | 37 | 9 255 336 | 39 | 9 257 323 | 58 | 9 278 342 | 56 | | |

Technical information / Legal notice

General technical conditions

The fitting instructions, screw fixing points and load capacity information provided in this catalogue assume proper attachment using screws specified by Hettich to a chipboard panel providing a screw pull out resistance of at least 1,000 N in accordance with EN 320.

Hettich accepts no responsibility for the load capacity of furniture and its components if other materials or other fastening methods are used; the furniture manufacturer must verify the load capacity.

The fitting situations shown in this catalogue are only intended to illustrate the possible options.

The furniture manufacturer is responsible for ensuring that furniture is designed in compliance with standards, in particular with regard to meeting the requirements on safety.

We will be pleased to provide any further information you may require.

General Terms of Sale and Delivery

All products and services will be provided exclusively on the basis of our General Terms and Conditions of Sale and Delivery that are published on our website at www.hettich-agb.com or which we will be pleased to send to you if you so request. We shall not acknowledge any of the supplier's terms and conditions that are contrary to or deviate from our General Terms and Conditions of Sale and Delivery.

Legal notice

© Hettich Marketing- und Vertriebs GmbH & Co. KG
Gerhard-Lüking-Str. 10
32602 Vlotho · Germany

January 2021

We reserve all rights to this catalogue under copyright law. It shall not be permissible to duplicate this catalogue in any form either in whole or in part without our written consent. Subject to technical alterations. Errors and omissions excepted. Subject to colour variations.

Hinges 24 – 29

Drawer systems 30 – 44

Runner systems 45 – 48


Sliding and folding door systems 49 – 51

Connecting technology 52 – 55

Cabinet interiors 56 – 61

Index 62 – 63

Learn more about the Hettich family-owned
company and get to know us better!



BjärnumAB

BJÄRNUMS INDUSTRISERVICE AB

— ER KOMPLETTA LEVERANTÖR —

Vi är Hettich partner i Sverige.

T. 0451-77 55 30 order@bjarnum.eu www.bjarnum.eu